

Message

From: Cisneros, Jose [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=A540FE3743E64EFA8862E033CAB4AACA-JCISNERO]
Sent: 10/25/2021 3:41:11 PM
To: Tyson, Kimberly (EGLE) [TYSONK@michigan.gov]; Finn, Molly [Finn.Molly@epa.gov]; Bury, Carolyn [bury.carolyn@epa.gov]; Patel, Shilpa [patel.shilpa@epa.gov]; Dixit, Naeha [dixit.naeha@epa.gov]
CC: brownee@michigan.gov; Kecskemeti, Tracy (EGLE) [KECSKEMETIT@michigan.gov]; Dale Bridgford [BRIDGFORDD@michigan.gov]; Clark, Alexandra (EGLE) [ClarkA37@michigan.gov]; Jacob Runge [RungeJ@michigan.gov]; Ostaszewski, Arthur (EGLE) [ostaszewskia@michigan.gov]
Subject: RE: BASF NW

Thanks for the summary, Kimberly. My preferences are 11 10 and 11/15.

Joe

Jose Cisneros, Chief

RB/LCRD

R5 EPA

312-886-6945

From: Tyson, Kimberly (EGLE) <TYSONK@michigan.gov>
Sent: Monday, October 25, 2021 7:56 AM
To: Finn, Molly <Finn.Molly@epa.gov>; Bury, Carolyn <bury.carolyn@epa.gov>; Patel, Shilpa <patel.shilpa@epa.gov>; Cisneros, Jose <Cisneros.Jose@epa.gov>; Dixit, Naeha <dixit.naeha@epa.gov>
Cc: brownee@michigan.gov; Kecskemeti, Tracy (EGLE) <KECSKEMETIT@michigan.gov>; Dale Bridgford <BRIDGFORDD@michigan.gov>; Clark, Alexandra (EGLE) <ClarkA37@michigan.gov>; Jacob Runge <RungeJ@michigan.gov>; Ostaszewski, Arthur (EGLE) <ostaszewskia@michigan.gov>
Subject: BASF NW

Good morning Molly,

Thank you and your team for meeting with EGLE on Friday, October 22 regarding BASF. Molly you provided an excellent update on the project status and BASF plans for a comprehensive remedy to stop groundwater flow to the Detroit River. Also for reminding us of the challenges posed by the stability complexities of the Detroit shoreline. Sounds like BASF plans to have a comprehensive remedy constructed in 2023.

Both EPA and EGLE recognizes the progress BASF has made operating the extraction wells and studying and designing a comprehensive remedy to stop the groundwater discharge. However, the issue lies in timing, whether continuing groundwater discharge pose risks that should be addressed sooner than 2023. To help answer this question, EPA and EGLE agreed to consult their respective Water Programs for help with evaluating the risks. RCRA Corrective Action program may have some limitations in this area.

EPA plans to talk to its Water Program and GLPO staff.

EGLE plans to talk to its Water Resources and Drinking Water program staff.

EPA and EGLE agreed to talk again in about 2 weeks to discuss our findings.

Below are dates for EGLE's availability.

11/8 – 2p (EST), 1p (CST)

11/9 – 4p (EST)

11/10 – 3p (EST)
11/15 – 11a (EST)
11/16 – 2p (EST)

Please let me know which date and time works best for your side.

Again thank you Molly for your work on this project.

Kimberly M. Tyson, P.E., Manager
Hazardous Waste Section
Materials Management Division
Michigan Department of Environment, Great Lakes, and Energy
517-388-2797 | tysonk@michigan.gov
Michigan.gov/EGLE

